


Hamersley™

Layflat hose handling solution



The **Hamersley Reel System** is a popular choice for rapid dewatering in mines handling layflat hose.

The **Hamersley** is the simplest, fastest & most compact system available for delivering layflat hose in the field. Interchangeable reels make it quick and easy to handle multiple lengths of layflat hose. Storage and transport is straightforward and trouble-free.

The **Hamersley** is suitable for use in emergency dewatering and industrial applications and complements the Waterlord hose system.

Available in two reel sizes:

- Ø 2.4 metre
- Ø 1.8 metre

IDEAL FOR

- Emergency dewatering
- Low workforce requirements
- Minimising OH&S issues
- Desired low environmental impact

FEATURES

- ✓ Hard-wearing natural rubber compound drive wheel
- ✓ Protective mesh surrounding pinch points
- ✓ Heavy-duty frame certified to carry up to 200 m of 12" ID hose
- ✓ Superior powder coating with Zincshield - giving excellent corrosion resistance
- ✓ Hydraulic safety latches
- ✓ Hydraulic cylinder, engaging drive wheel, with heavy duty spring to protect sudden impact
- ✓ Sequential hydraulic valves to prevent unwanted detachment of reels during operation
- ✓ High torque geared hydraulic motor
- ✓ Cross port reliefs to prevent over pressurisation
- ✓ Quick-connect hydraulic couplings provide quick machine detachment
- ✓ Australian Made



The Hamersley Reel System deploying 200 m of Waterlord layflat hose

Crusader Hose is in regular consultation with industry. The Reel Systems are designed and manufactured with our customers' needs in mind to make the job safe, easy and more efficient.

Proudly manufactured in Australia.



Scan here to watch the video

Crusader Hose Pty Ltd

22 Industry Place, Bayswater VIC 3153 Australia
e: sales@crusaderhose.com.au p: +61 3 9720 1100
www.crusaderhose.com.au

2307



Hamersley™ Reel System


TECHNICAL DATA




Manual Reel Drive Unit v2

	Features	Manual operation of reel lock & drive wheel engagement
	Dimensions	1600 mm x 1150 mm x 1130 mm
	Rating	1200 kg
	Weight	270 kg
	Part # to suit 1.8 m reels	ACW180MAA
	Part # to suit 2.4 m reels	ACW240MAA

Hydraulic Reel Drive Unit v3

	Features	Remote operation of reel lock & drive wheel engagement
	Dimensions	1600 mm x 1150 mm x 1130 mm
	Rating	1200 kg
	Weight	280 kg
	Part # suit 2.4 m reels	ACW240HAA

Hose Reel

		1.8 m diameter	2.4 m diameter
	Hose ID compatibility	6", 8", 10" & 12" layflat	6", 8", 10" & 12" layflat
	Max. hose capacity*	100 m	200 m
	Dimensions	Ø 1800 mm x 530 mm W	Ø 2400 mm x 530 mm W
	Rating	700 kg	1200 kg
	Weight	165 kg	190 kg
	Part #	ACR002CAA	ACR002AAA
*Capacity dependent on winding tension, number of lengths & couplings			

Crusader Hose Pty Ltd

22 Industry Place, Bayswater VIC 3153 Australia
 e: sales@crusaderhose.com.au p: +61 3 9720 1100
www.crusaderhose.com.au

2307

