

Bayswater™ Mobile Hose Crate 1000

Layflat hose handling solution



The **Bayswater Mobile Hose Crate** is a popular brand in our Reel Systems Family. This innovative layflat hose reel winder from Crusader Hose has been designed for the rapid deployment and retrieval of layflat hose.

Crusader Hose fabricated the **Bayswater Mobile Hose Crate** to help alleviate the manual labour challenges associated with handling layflat hose pipelines. This reel system makes handling layflat hose easy, safe and more efficient.

Revolutionary in design, the **Bayswater Mobile Hose Crate** is compact, modular & stackable. Pallet-sized with universal skid-steer attachment, the **Bayswater Mobile Hose Crate** is perfect for urban or industrial use.

FEATURES

- ✓ Single spool
- ✓ Stackable - interlocking points
- ✓ Universal skid-steer attachment
- ✓ Rated lifting & tie-down points
- ✓ High-torque motor
- ✓ Quick-connect couplers
- ✓ Modular - easy to store
- ✓ Heavy-duty frame
- ✓ Hot-dipped galvanised or painted frame
- ✓ Safe & reliable
- ✓ Australian Made

IDEAL FOR

- Emergency dewatering
- Low workforce requirements
- Minimising OH&S issues
- Desired low environmental impact
- Urban or industrial use



Rated lifting & tie-down points



Compact layflat hose storage ready for quick deployment

TECHNICAL DATA

Spool capacity	Single spool (Ø 1000 mm x 840 mm W)
Max. hose capacity*	1 x 350 m x 2" layflat hose
Hose ID compatibility	up to 6" layflat hose
Dimensions	1.2 m L x 1.2 m W x 1.3 m H
Weight (dry/wet)	350 kg / 750 kg
Part #**	ACW100BAY

*Capacity dependent on winding tension, type of hose & couplings

**Part # for painted frame



Scan here to watch the video

Crusader Hose Pty Ltd

22 Industry Place, Bayswater VIC 3153 Australia

e: sales@crusaderhose.com.au p: +61 3 9720 1100

www.crusaderhose.com.au

2409

Crusader Hose reserves the right to modify any specification as part of ongoing product development and without prior notice.

Contact Crusader Hose to ensure that the current technical data sheets and documentation are used.

