

Layflat Hose Assemblies

High-Pressure Hose Assemblies. Fitted & Tested. Safe & Secure.

HIGH-PRESSURE HOSE ASSEMBLIES

Secure & reliable fittings to handle the demands of daily use for trouble-free pumping.

Wire Whipped

Our specialised hose-binding machine maintains consistent tension as it winds high-quality 316 stainless steel wire around the coupling tail and hose, securing the fitting. Durable and lightweight, wire whipping can hold pressures up to 5200 kPa.

Preferred method for fire and fuel hose up to 152 mm diameter.



Swaged

Compression is used as the locking interface between hose and coupling using ferrules. This is done with our powerful swaging tool. It is a popular and secure fitting method for high-pressure layflat hose.

Available for a large range of hose diameters.



A reliable and secure clamping method that can handle high pressure and torque. Long-lasting and maintenance-free Band-it clamps resist rust and damage through ordinary use.

Cost-effective and efficient clamping systems that can be done on-site with a simple tool.

Available for various hose diameters.




Boa™ Clamp

Easy to fit or adjust on-site with minimal equipment, the Boa clamp is made of non-corrosive anodised aluminum. The three segments bolt together easily with their unique mating sections. This highly technical design prevents potential leaking after a refit.

Boa clamps and hose tails are available for various hose diameters up to 305 mm.

Essential in many applications

- ✓ Mine dewatering
- √ Fuel pumping
- ✓ Industrial pumping
- √ Firefighting



Wide range of coupling types available.



BSP, CFA, MFB, NSW, QRT & Victaulic and a large range of other couplings also available.

Our hose assemblies are made in-house to suit your specific application. Contact our Sales & Technical experts to discuss your requirements.

Tested & tagged for peace of mind.

We are specialists in providing the best fitting service for your requirements and take pride in our excellent workmanship. You can be assured that our couplings will remain securely attached.

We offer a test tag & certification service for compliance requirements. Fees apply.



Keep it tidy with PU straps.

Polyurethane straps are an excellent accessory to keep your hose tightly coiled when not in use.

Straps are easy to fit, like a belt, with a cam-locking buckle.









Hose fitting experts.

Short or long lengths.





